

Cor-Ban®

CORROSION INHIBITING COMPOUNDS

COR-BAN® 35



Product description:
**CORROSION INHIBITING
COMPOUND**

FEATURES:

- ▶ A long lasting, high solids, low volatile, high penetration, and water displacing corrosion inhibiting compound
- ▶ Non-tacky with a light, transparent, reddish-pink tint

KEY BENEFITS:

- ▶ NON-CRACKING AND FLAKING TO -40°F (-40°C)
- ▶ LOW VOC
- ▶ DETECTABLE AND NON-SAGGING THIXOTROPIC FILM
- ▶ SOLVENT REMOVABLE
- ▶ WATER DISPLACING
- ▶ HIGH PENETRATION
- ▶ VERY LOW DRY FILM WEIGHT
- ▶ > 2000 HOURS SALT SPRAY



Rev: 20066D
3-19-2021

 For more information contact us :
zipchem@addevmaterials.com

 Part of 

COR-BAN® 35

Product description:
**CORROSION INHIBITING
COMPOUND**

KEY BENEFITS:

- ▶ ONE AEROSOL CAN COVERS APPROXIMATELY 95 FT² (8.8 M²)
- ▶ 1 GALLON OF BULK MATERIAL CAN COVER APPROXIMATELY 1600 FT² (39.3 M² PER LITER)

SPECS:

- AIMS 09-08-002 Ty II Gr 2
- AIMS 09-08-003
- ATR 42/ATR 72 SRM
- BAE: AVP 2-022
- BMS 3-23F TyII
- BMS 3-29
- BMS 3-35B
- Boeing DMS 2150
- Bombardier BAMS 565-006 Type I and Type II
- Cessna CSNP038 Ty IVA/Class 2
- Dassault DGQT 1.7.0.0103
- de Havilland DHMS C 4.12
- Embraer 51-61-00 Ty I & Ty II
- FedEx A30-51-001
- GAC115AD
- Gulfstream GAC115AD
- MEP 10-063
- Mil-DTL-85054D
- NSN: 6850-01-492-2932, 8030-01-531-7358 (Aerosols)
- NSN: 8030-01-615-4740 (Gallons)
- NSN: 8030-01-659-2958 (1 Gallon)
- NSN: 8030-01-531-7360 (5 Gallons)
- NSN: 8030-01-615-4733 (8 oz Brush In Cap)
- NSN: 8030-01-615-4737 (Quart)
- SIKORSKY SS 8536 Type II
- Sukhoi RRJ0000·RE-811-2559
- Viking VMS C4.12



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV MATERIALS



Cor-Ban®

CORROSION INHIBITING COMPOUNDS

COR-BAN® 35



Product description:

CORROSION INHIBITING COMPOUND

APPLICATIONS

Apply by using conventional airless or air-operated spray equipment or by using aerosol

Apply at 1 - 1½ mils (25-38 microns) wet thickness

The **Cor-Ban® 35** aerosol can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated

Use on high profile aircraft substrates; upper edge floor beams, wheel wells, pressure deck, and center wing sections



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV MATERIALS