



## AIRCRAFT CLEANERS & DISINFECTANTS

### CALLA® 8050



*Product description:*  
**WHEEL AND FLAP WELL CLEANER  
AMS 1533**

---

#### FEATURES:

- ▶ A thickened alkaline cleaner
  - ▶ Unthickened version of **Calla® 8050** is available as **Calla® 805**
- 

#### KEY BENEFITS:

- ▶ A non-solvent cleaner
  - ▶ Comes ready-to-use
  - ▶ Environmentally safe
  - ▶ Provides excellent "cling" to vertical surfaces
  - ▶ A completely non-toxic heavy duty cleaner
  - ▶ Cleans build up of soils and contaminants found in the wheel and flap well areas
  - ▶ Safe for use on all aircraft substrates and coatings
- 

#### SPECS:

- AMS 1533
  - Boeing CSD No. 1
- 



Rev: 29073G  
10-07-2021

 For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)

 Part of 



## AIRCRAFT CLEANERS & DISINFECTANTS

**CALLA® 8050**



*Product description:*

### **WHEEL AND FLAP WELL CLEANER AMS 1533**

#### **APPLICATIONS:**

- ✓ **Calla® 8050** application can be made with standard pumping equipment for spray or by mop if necessary
- ✓ Allow a few minutes for the thickened soap to soften and remove the soil and contaminants before rinsing

#### **PHYSICAL PROPERTIES:**

- ▶ **Appearance:** Green Viscous Liquid with typical surfactant odor
- ▶ **Density:** 8.4 - 8.8 lbs./gal.
- ▶ **Flash Point:** None
- ▶ **PH:** 11.8 - 12.4
- ▶ **Specific Gravity:** 1.03
- ▶ **Vapor Pressure:** <1
- ▶ **Viscosity:** 850-1000 cps
- ▶ **VOC:** 25 grams / liter



For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)



Part of



**ADDEVMATERIALS**



## AIRCRAFT CLEANERS & DISINFECTANTS

**CALLA® 8050**



*Product description:*  
**WHEEL AND FLAP WELL CLEANER  
AMS 1533**

---

**AVAILABLE PACK SIZES:**

- ▶ Gallons-009451]
- ▶ 5 Gallon Pails-002032]
- ▶ 55 Gallon Drums-002033]
- ▶ 330 Gallon Totes-009767]
- ▶ Special Packaging Upon Request]



For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)



Part of



**ADDEV MATERIALS**