

D-5263NS



Product description:

AIRCRAFT CABLE LUBE AND RUST PREVENTIVE

FEATURES:

- ▶ An aircraft cable lubricant and rust preventive
- ▶ A special formulation consisting of a blend of oils that conform to Mil-PRF-32033 (formerly VV-L-800)
- ▶ A general purpose, low temperature, and water displacing preservative oil

KEY BENEFITS:

- ▶ Protects internal applications up to 6 months
- ▶ A lubricant and rust preventive for general aircraft applications, such as cables
- ▶ Maximizes life for all aircraft cables
- ▶ Wide temperature range (-70°F to 300°F)

SPECS:

- ASTM F 945
- Boeing DPM 5481-1 (called out)
- LUB 4500-35C
- Mil-PRF-32033 Nato Code O-190 (Oil used in **D-5263NS**)
- NSN: 9150-01-660-6782
- UAL OIL 4501-125C (called out)



Rev: 20085E
10-08-2021

D-5263NS*Product description:***AIRCRAFT CABLE LUBE AND RUST PREVENTIVE****APPLICATIONS:**

- ✓ Use as a cable lubricant for cargo door hinges and door cable lubrication
- ✓ **D-5263NS** can be used effectively on small guns, machine guns, and precision machine parts.
- ✓ **D-5263NS** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated
- ✓ Bulk application available as **ZC-5263**
- ✓ Used for the following applications:
 - Pylon bearing cleaning prior to lubrication
 - Lubrication of safety blocker installation on tail cone work platform
 - Other lubrication applications

PHYSICAL PROPERTIES:

- ▶ **Flash Point of the Oil:** 290°F
- ▶ **Pour Point:** -70°F (-57°C)
- ▶ **Specific Gravity (H₂O=1):** 0.8
- ▶ **Vapor Density:** Heavier than Air
- ▶ **Viscosity, @40°C:** - >11 CST
- ▶ **Viscosity, @-54°C:** - <60,000 CST



For more information contact us :
zipchem@addevmaterials.com



Part of

**ADDEV MATERIALS**



Aero-Lube™

LUBRICANTS & LUBRICATING COMPOUNDS

D-5263NS



Product description:

AIRCRAFT CABLE LUBE AND RUST PREVENTIVE

AVAILABLE PACK SIZES:

- ▶ Aerosol-002057]
- ▶ Gallons-009426]
- ▶ 5 Gallon Pail-002141]
- ▶ 55 Gallon Drum-002142]
- ▶ Special Packaging Upon Request]



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV MATERIALS