

### ZC-010




#### *Product description:* **CORROSION PREVENTIVE**

#### **FEATURES:**

- ▶ Deposits an oily film on surfaces to be protected
- ▶ A general purpose material

#### **KEY BENEFITS:**

- ▶ Prevents rust and corrosion on all metals
- ▶ Harmless to plastics, rubber, and painted or plated surfaces
- ▶ Non-conductive
- ▶ Prevents electrolysis
- ▶ Remains in an oily state without congealing or becoming gummy
- ▶ Neutralizes acids left by fingerprints
- ▶ Displaces small amounts of moisture left by condensation
- ▶ Removes light rust formulations
- ▶ Displaces moisture
- ▶ Neutralizes and retards the effects of mild acids, alkalis, and corrosive atmospheres
- ▶ Lubricates beneath corroded surfaces
- ▶ Very effective at penetrating corrosion to loosen and lubricate frozen parts
- ▶ Protects and lubricates delicate shop tools, gauges, and instruments
- ▶ Protects engines and parts that go into long term storage



Rev: 29124C  
10-12-2021

### ZC-010



#### *Product description:*

### **CORROSION PREVENTIVE**

#### **KEY BENEFITS:**

- ▶ Penetrates rust
- ▶ Neutralizes acid left by fingerprints

#### **SPECS:**

- MIL-C-23411 (Meets requirements)
- A-A-50493 (Meets requirements)
- Solar Turbines Specification ES9-249 (Turbomachinery preservation)

#### **APPLICATIONS:**

- ✓ Widely used on aircraft and engine parts during component overhaul.
- ✓ Aerosol application available as **D-5010NS**

#### **PHYSICAL PROPERTIES:**

- ▶ **Boiling Range:** 280-318° F
- ▶ **Cloud Point (ASTM D-97):** 50° F
- ▶ **Dielectric Strength:** (ASTM P-877) 22.2 KV (RMSO)
- ▶ **Viscosity @ 72° F.:** Approximately 3 cst
- ▶ **Flash Point:** >155° F
- ▶ **Pour Point (ASTM D-97):** <-90° F
- ▶ **Specific Gravity:** 0.78-0.83



# Cor-Ban®

**CORROSION INHIBITING COMPOUNDS**

**ZC-010**



*Product description:*

**CORROSION PREVENTIVE**

---

**AVAILABLE PACK SIZES:**

- ▶ Aerosol-002045]
- ▶ Quarts-010121]
- ▶ Gallons-009412]
- ▶ 5 Gallon Pails-002085]
- ▶ 55 Gallon Drums-002086]
- ▶ Special Packaging Upon Request]



For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)



Part of



**ADDEVMATERIALS**