

ZC-015



Product description:

AVIONIC CORROSION PREVENTIVE LIGHT SOFT FILM (MIL-PRF-81309H TYPE III CLASS 1)

FEATURES:

- ▶ A light duty version of **ZC-026**
- ▶ Provides a light, soft, ultra-thin film with moisture displacing properties

KEY BENEFITS:

- ▶ Contains a thin protective barrier coating to help prevent corrosion
- ▶ Contains lubricating properties to prevent fretting corrosion and erosion of the plated surface of the connector
- ▶ Safe on most paints, plastics, or insulation
- ▶ Displaces water from electrical and electronic components
- ▶ Provides lubrication and corrosion protection
- ▶ Excellent for electrical and electronic components
- ▶ Light-soft film provides lubrication for moving parts
- ▶ Excellent for short term tooling protection on highly critical surfaces
- ▶ Formulated for use on highly critical metal surfaces including electrical connectors
- ▶ Ideal for in field service use



Rev: 20075K
10-12-2021

ZC-015*Product description:***AVIONIC CORROSION PREVENTIVE
LIGHT SOFT FILM (MIL-PRF-81309H
TYPE III CLASS 1)****SPECS:**

- Mil-PRF-81309H Type III Class 1 (QPL)
- Sikorsky SS 8536 Type 1 (QPL)

APPLICATIONS:

- ✓ Formulated for use on highly critical metal surfaces including electrical connectors
- ✓ Aerosol application available as **D-5015NS** (Aerosol is non-ozone depleting)
- ✓ For removal of **ZC-015**, use **ZC-640 (D-5640NS)**, **Sur-Prep® 3160**, or **Sur-Prep® 3167**

PHYSICAL PROPERTIES:

- ▶ **Flash Point:** 157° F.
- ▶ **Evaporation Rate:** Faster than ether
- ▶ **Material V.O.C.:** 631 g/l
- ▶ **Specific Gravity:** 0.8
- ▶ **Vapor Density:** Heavier than air



Cor-Ban®

CORROSION INHIBITING COMPOUNDS

ZC-015



Product description:

**AVIONIC CORROSION PREVENTIVE
LIGHT SOFT FILM (MIL-PRF-81309H
TYPE III CLASS 1)**

AVAILABLE PACK SIZES:

- ▶ Aerosol-007670]
- ▶ Gallons-009413]
- ▶ 5 Gallon Pails-002089]
- ▶ 55 Gallon Drums-002090]
- ▶ Special Packaging Upon Request]



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV MATERIALS