

ZC-616



Product description: **PF® SOLVENT / DEGREASER**

FEATURES:

- ▶ Contains PF® solvent/degreaser
- ▶ A combustible blend of high purity hydrocarbons with a small amount of food grade terpene
- ▶ Contains a dielectric strength of 38kV to 51 kV
- ▶ The evaporation rate ranges from 5 to 10 minutes when **ZC-616** is wiped or blown with compressed air
- ▶ Low residue high purity blend <50ppm NVR

KEY BENEFITS:

- ▶ Contains no ozone depleting chemicals
- ▶ Aggressively cleans organic contaminants
- ▶ Effective in the removal of a wide range of uncured adhesives
- ▶ Effectively degreases electrical components on motors, transformers, and generators with care
- ▶ Safe on substrates



Rev: 29101D
10-05-2021

ZC-616



Product description: **PF® SOLVENT / DEGREASER**

KEY BENEFITS:

- ▶ Quickly and easily removes residual contamination from tape, dust, dirt, grease, wax, and other process materials with prompt attention
- ▶ Non-flammable propellant in aerosol
- ▶ Low odor recognition in wipe, spray, and bulk

SPECS:

- AMS 1526B
- ARP 1755B Aircraft engine cleaning
- Boeing D- 1 7487, Rev J general purpose cleaner

APPLICATIONS:

- ✓ **ZC-616** is normally used as a general purpose spray and wipe solvent cleaner and degreaser for surface preparation on a variety of aircraft substrates
- ✓ Designed to be used for light to medium aerospace degreasing via spray, dip, wipe, or flood methods of application.
- ✓ Aerosol application available as **D-5616NS**

PHYSICAL PROPERTIES:

- ▶ **Appearance:** Clear, Low Viscosity Liquid
- ▶ **Evaporation Rate:** <0.1 (BuAc=1)
- ▶ **Flash Point:** 144°F TCC
- ▶ **Odor:** Slight Citrus Odor



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV MATERIALS



Sur-Prep®

SURFACE PREPARATION & AVIONICS CLEANERS

ZC-616



Product description:

PF® SOLVENT / DEGREASER

PHYSICAL PROPERTIES:

- ▶ **Specific Gravity:** 0.76
 - ▶ **Vapor Pressure:** < 0.48 mm of Hg @ 20°C
-

AVAILABLE PACK SIZES:

- ▶ Aerosol-005737]
 - ▶ 55 Gallon Drum-011208]
-

PF® degreaser is a registered trademark of ITW Pro Brands

 For more information contact us :
zipchem@addevmaterials.com

