

ZC-665



Product description: **CONTACT CLEANER**

FEATURES:

- ▶ A multi-functional azeotrope with a non-ozone depleting formulation (no CFC's or HCFC's)

KEY BENEFITS:

- ▶ Safe for use on plastics
- ▶ Very low surface residue
- ▶ Low toxicity levels
- ▶ Very effective in solubilizing a select range of soils and surface contaminants
- ▶ Non-flammable (Ingredients)
- ▶ VOC exempt (Ingredients)
- ▶ Low GWP
- ▶ Low odor
- ▶ Fast evaporation
- ▶ Highly efficient (Ingredients)
- ▶ Exhibits an extremely low solubility of moisture
- ▶ High density of **ZC-665** coupled with its low viscosity and low surface tension, results in it coating surfaces evenly and penetrating into complex geometries
- ▶ Can be applied directly into problem areas to loosen, lift, and flush away light deposits of undesirable oils, greases, and oxide build-up



Rev: 29117A
10-05-2021

ZC-665



Product description: CONTACT CLEANER

SPECS:

- Boeing BAC 5402
- Boeing BAC 5750
- MIL-STD-1330D

APPLICATIONS:

- ✓ Ideal for use on electronic components and energized circuits
- ✓ Use in applications, such as the displacement drying and cleaning of water sensitive components
- ✓ Available in aerosol as **D-5665NS**
- ✓ For heavier duty degreasing applications, use **Sur-Prep® 5672**

PHYSICAL PROPERTIES:

- ▶ **Appearance:** Clear / Colorless
- ▶ **Boiling Point (°C):** 60
- ▶ **Composite Vapor Pressure @ 23°C:** 0 mm of Hg
- ▶ **Dielectric Strength Constant @ 25°C (Oil In Gap):** 28 KV⁹
- ▶ **Flash Point (°C):** None
- ▶ **Liquid Density (g/ml):** 1.50
- ▶ **Low Heat of Vaporization (cal/g):** 0.28
- ▶ **O-Zone Depletion:** 0.00
- ▶ **Surface Tension (Dynes/cm):** 13.60



Sur-Prep®

SURFACE PREPARATION & AVIONICS CLEANERS

ZC-665



Product description:
CONTACT CLEANER

PHYSICAL PROPERTIES:

- ▶ **Viscosity (cps):** 0.61
 - ▶ **VOC:** None
-

AVAILABLE PACK SIZES:

- ▶ Aerosol-002074]
- ▶ 5 Gallon Pail-002158]
- ▶ 55 Gallon Drum-007571]
- ▶ Special Packaging Upon Request]

 For more information contact us :
zipchem@addevmaterials.com

 Part of  **ADDEV MATERIALS**