

## **SURFACE PREPARATION & AVIONICS CLEANERS**

# SUR-PREP<sup>®</sup> 5673



# **Product description:**

## **CONTACT CLEANER AND DEFLUXER**

### **FEATURES:**

Clear and colorless appearance

## **KEY BENEFITS:**

- Non-ozone depleting
- Non-flammable
- Low toxicity levels
- Very low surface residue
- Solubilizes a wide range of soils and surface contaminants
- Cleans resin solder flux residues



- Low GWP
- Fast evaporation

#### SPECS:

- Meets requirements of Boeing D6-17487 (Solvent cleaners)
- NSN: 7510-00-616-9588 (16 fl oz (473 mL) Aerosol)

## **APPLICATIONS:**

- ✓ Use Sur-Prep® 5673 on electronic components and energized circuits
- ✓ Sur-Prep® 5673 is ideal for use as a defluxer

## **Applications Continued On Next Page**

Rev: 20084D 02-15-2024





Page 1 of 3





SUR-PREP<sup>®</sup> 5673



Page 2 of 3

# **Product description:**

## **CONTACT CLEANER AND DEFLUXER**

### **APPLICATIONS CONTINUED FROM PAGE 1:**

- ✓ **Sur-Prep® 5673** can be sprayed into problem areas to loosen, lift, and flush away heavy deposits of oils, greases, and rosin solder flux residues
- ✓ The **Sur-Prep® 5673 aerosol** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be cleaned. Please refer to the technical data sheet for more information.

### **PHYSICAL PROPERTIES:**

Appearance: Clear / Colorless

Boiling Point (°C): 44°C (111°F)

▶ **Dielectric Strength:** 32,000 volts

Flash Point (°C): None

**► GWP:** 43

Liquid Density (g/mL): 1.27

► Low Heat of Vaporization (cal/g): 60

**Ozone Depletion:** 0.00

Surface Tension (Dynes/cm): 18

Vapor Pressure @ 23°C (73°F): 360

Viscosity (cps): 0.40







# SUR-PREP<sup>®</sup> 5673



Page 3 of 3

# **Product description:**

## **CONTACT CLEANER AND DEFLUXER**

#### **AVAILABLE PACK SIZES:**

- Case of 4 each Gallon (4 each of 3.8 Liter) Cans-009384
- ▶ 5 Gallon (18.9 Liter) Pail-009385
- > 55 Gallon (208 Liter) Drum-009386
- Special packaging upon request

