

### D-5699NS



*Product description:*  
**AIRCRAFT FIRE DETECTION SYSTEM  
CONNECTOR CLEANER**

#### FEATURES:

- ▶ Contains Anhydrous Isopropyl Alcohol

#### KEY BENEFITS:

- ▶ Non-ozone depleting
- ▶ Suggested by manufacturer as preferred cleaning solvent for use with hermetic connectors
- ▶ Quickly delivers an uncontaminated and ultra filtered stream of Anyhydrous Isopropyl Alcohol to the exact area desired
- ▶ Availability of pinpoint accuracy if extended tube fitment is used

#### APPLICATIONS:

- ✓ Use **D-5699NS** to ensure that the mating connector is clean and dry prior to installation.
- ✓ Spray the connector liberally and allow it to dry or accelerate drying with the **Sur-Prep® 5604 Vapor-Duster**
- ✓ Do not use on activated circuits because of flammability risks
- ✓ **D-5699NS** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated. Please refer to the **Formit®** technical data sheet for more information.



Rev: 29096K  
11-07-2023

### D-5699NS



*Product description:*  
**AIRCRAFT FIRE DETECTION SYSTEM  
CONNECTOR CLEANER**

---

#### PHYSICAL PROPERTIES:

- ▶ **Flash Point:** 53°F (12°C)
  - ▶ **Freezing Point:** -89.5°C (-129°F)
  - ▶ **Product Components:** Anhydrous Isopropyl Alcohol
  - ▶ **Propellant:** CO<sub>2</sub>
  - ▶ **Specific Gravity:** 0.787
  - ▶ **Volatiles:** 100%
- 

#### AVAILABLE PACK SIZES:

##### D-5699NS

- ▶ 16 fl oz (473 mL) Aerosol-002076

##### Sur-Prep® 5604

- ▶ 12 fl oz (355 mL) Aerosol-002066
- ▶ Special Packaging Upon Request

Pack Sizes Continued On The Next Page



# Sur-Prep®

## SURFACE PREPARATION & AVIONICS CLEANERS

Page 3 of 3

### D-5699NS



### *Product description:* **AIRCRAFT FIRE DETECTION SYSTEM CONNECTOR CLEANER**

#### **AVAILABLE PACK SIZES (CONTINUED FROM PAGE 2):**

##### **Formit®**

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of  
**Formit® -18-F,**  
**Formit® -18-180,**  
**Formit® -18-360,**  
and **Formit® -18 STD-Fog-100107**

