

ZC-082



Page 1 of 5


Product description:
**SELF HEALING CORROSION
CONTROL LUBRICANT**

FEATURES:

- ▶ A versatile rust preventive coating
- ▶ Provides a tough and transparent film that is water displacing for use under the most severe corrosion conditions
- ▶ Self healing

KEY BENEFITS:

- ▶ Prevents corrosion up to 2 years
- ▶ Does not flake
- ▶ An extremely effective corrosion preventive for the lubrication and protection of aircraft cables
- ▶ Resists flow up to 175°F (79°C)
- ▶ Parts that are coated with **ZC-082** can be stored outside
- ▶ Protects metal substrates from corrosion in severe salt spray environments
- ▶ Adheres firmly to metal surfaces



Key Benefits Continued On The Next Page

Rev: 29086D
10-19-2023

ZC-082



Page 2 of 5

Product description:
**SELF HEALING CORROSION
CONTROL LUBRICANT**

KEY BENEFITS (CONTINUED FROM PAGE 1):

- ▶ Dry to the touch within two hours
 - ▶ **ZC-082** is a recommended product for aircraft
 - ▶ Free of chromates
 - ▶ Free from heavy metals
 - ▶ Low toxicity
-

SPECS:

- UAL OIL 4501-11SC
-

APPLICATIONS:

- ✓ Apply in fuselages and wing sections (Preparing aircraft for storage or HMV (Heavy Maintenance Visits))
- ✓ Aerosol application available as **D-5082NS**
- ✓ **ZC-082** can be removed using **Sur-Prep® 3160**, **D-5640NS**, **ZC-640**, **Sur-Prep® 3167**, or mineral spirits

ZC-082



Page 3 of 5

Product description:
**SELF HEALING CORROSION
CONTROL LUBRICANT**

PHYSICAL PROPERTIES:

- ▶ **Coverage:** >1000 sq ft/Gal (25 m²/Liter)
 - ▶ **Density:** 7.1 lbs./Gal. (850 grams/liter)
 - ▶ **Flash Point:** 112°F (44°C)
 - ▶ **Pour Point:** 10°F (-12°C)
 - ▶ **Salt Spray (ASTM B-117):** >1000 hours on Aluminum (Al)
 - ▶ **Typical Film Thickness:** 0.9-1.0 mils (23-25 microns)
 - ▶ **Viscosity, CPS @ 80°F. (27°C):** 100-500
-

AVAILABLE PACK SIZES:

D-5082NS

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-002054

Pack Sizes Continued On The Next Page



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

ZC-082



Page 4 of 5

Product description:
**SELF HEALING CORROSION
CONTROL LUBRICANT**

AVAILABLE PACK SIZES (CONTINUED FROM PAGE 3):

ZC-082

- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-009424
- ▶ 5 Gallon (18.9 Liter) Pail-002131
- ▶ 55 Gallon (208 Liter) Drum-002132
- ▶ Special Packaging Upon Request

Sur-Prep® 3160

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-010938
- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-008578
- ▶ 5 Gallon (18.9 Liter) Pail-008579
- ▶ 55 Gallon (208 Liter) Drum-008580
- ▶ Case of 6 Canisters of Towelettes-100026
- ▶ Case of 100 Individual Towelettes-011844
- ▶ Special Packaging Upon Request

Pack Sizes Continued On The Next Page

ZC-082



Page 5 of 5

Product description:
**SELF HEALING CORROSION
CONTROL LUBRICANT**

AVAILABLE PACK SIZES (CONTINUED FROM PAGE 4):

D-5640NS

- ▶ 16 fl oz (473 mL) Aerosol-002070

ZC-640

- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-009430
- ▶ 5 Gallons (18.9 Liter)-002155
- ▶ 55 Gallons (208 Liter)-008181
- ▶ Special Packaging Upon Request

Sur-Prep® 3167

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-103765
- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-103762
- ▶ 5 Gallon (18.9 Liter) Pail-103763
- ▶ 55 Gallon (208 Liter) Drum-103764
- ▶ Special Packaging Upon Request