

ZC-4079



Page 1 of 2

Product description: EPOXY DISSOLVER

FEATURES:


- ▶ A powerful yet versatile solvent
-

KEY BENEFITS:

- ▶ Excellent as a general purpose clean-up solvent on metal components
 - ▶ Performs a variety of tasks, which includes paint stripping and urethane foam blowing
 - ▶ Energy efficient
 - ▶ Vaporizes at a low heat level
-
- ▶ **ZC-4079** can be recovered and reused

APPLICATIONS:

- ✓ Removes cured epoxy, urethane mixing, and dispensing equipment
- ✓ Salvages encapsulated or potted components
- ✓ Epoxy will soften slowly and slough off when immersed in **ZC-4079**
- ✓ Accelerate dissolving action for Epoxy by heating it to 86°F (30°C)
- ✓ Reduce evaporation by placing a layer of water on top of the **ZC-4079** solvent
- ✓ Store **ZC-4079** at 40° - 100°F (4.4° - 37.8°C) in the original unopened containers.



Rev: 29128J
04-17-2025

ZC-4079



Page 2 of 2

Product description:
EPOXY DISSOLVER

PHYSICAL PROPERTIES:

- ▶ **Appearance:** Colorless Liquid
 - ▶ **Boiling Point:** 103.5°F (40°C)
 - ▶ **Flash Point:** None
 - ▶ **Specific Gravity:** (25°C) (77°F)-1.320
 - ▶ **Vapor Pressure:** 355 mm (14") of Hg @ 20°C (68°F)
-

AVAILABLE PACK SIZES:

- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-005029
- ▶ 5 Gallon (18.9 Liter) Pail-005028
- ▶ 55 Gallon (208 Liter) Drum-002313
- ▶ Special Packaging Upon Request