## **D-5100NS**



# **Product description:**

### A FUNCTIONAL SILICONE FLUID

#### **FEATURES:**

- A high quality lubricant and anti-stick agent
- A colorless and pure silicone fluid
- An odorless material

#### **KEY BENEFITS:**

- Does not harm metals, plastics, or painted surfaces
- Prevents door locks and rubber weather stripping from freezing
- Reduces friction on iron faces and work surfaces where cloth is handled
- Retains excellent electrical properties and high temperature oxidation resistance that is inherent in silicones
- Lubricates dissimilar metals, plastics, and plastic-metal combinations



Page 1 of 3

- Can be used as a release agent for the molding of plastics and for the manufacturing of rubber and paper
- ► **D-5100NS** has a temperature range from -60°F to 600°F (-51°C to 315°C)
- Can be used as an anti-stick agent for heat sealing equipment, packaging and gluing equipment, conveyors, and food processing equipment
- Does not stain fabrics

Rev: 20064E 11-13-2025





## **D-5100NS**



Page 2 of 3

## **Product description:**

### A FUNCTIONAL SILICONE FLUID

#### SPECS:

• NSN: 9150-00-269-8249 (16 fl oz (473 mL) Aerosol)

#### **APPLICATIONS:**

- ✓ **D-5100NS** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated. Please refer to the **Formit®** technical data sheet for more information.
- ✓ Store **D-5100NS** at 40°F 100°F (4.4°C 37.8°C) in the original unopened containers away from sunlight

### **PHYSICAL PROPERTIES:**

The following physical properties are based on the silicone fluid used in **D-5100NS** 

▶ Dielectric Constant: 2.65 to 2.77 at 25°F (-4°C)

▶ **Dielectric Strength:** 240 to 360 Volts Per Mil

Pour Point: 58°F (14°C)

Specific Gravity 25°C/25°C (77°F/77°F): 0.8

Surface Tension: 21 Dynes/Centimeter





## **D-5100NS**



Page 3 of 3

# **Product description:**

### A FUNCTIONAL SILICONE FLUID

#### **AVAILABLE PACK SIZES:**

#### **D-5100NS**

Case of 12 of 16 fl oz (473 mL) Aerosols-002055



