

D-5030NS



Product description: **CORROSION PREVENTIVE COATING**

FEATURES:

- Provides a firm and waxy coating

KEY BENEFITS:

- Protects the substrate even if the coating is damaged
- Formulated to provide a long term barrier against corrosion on steel, aluminum, copper, zinc, galvanized steel, and all metallic surfaces
- Resists galvanized steel corrosion
- Neutralizes acid and provides superior dampening to metal
- Good resistance against electricity
- Free from heavy metals
- Low toxicity
- Easily removable with petroleum solvents
- Contains excellent moisture displacing and adhesion properties
- Free of chromates

APPLICATIONS:

- ✓ Recommended for use on aircraft, cables, parts, and tools
- ✓ **D-5030NS** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated. Please refer to the **Formit®** technical data sheet for more information.
- ✓ Store **D-5030NS** at 40° - 100°F (4.4° - 37.8°C) in the original unopened containers. Keep containers closed when not in use and protect **D-5030NS** from sunlight.



Rev: 29113E
12-03-2025

D-5030NS



Product description:

CORROSION PREVENTIVE COATING

PHYSICAL PROPERTIES:

- ▶ **Coverage 77°F (25°C):** 1000 ft²/gal (24.5 m²/liter)
- ▶ **Evaporation Rate:** Faster Than Ether
- ▶ **Material V.O.C.:** 4.63 lbs / gallon (554 Grams / Liter)
- ▶ **Shelf Life:** 3 Years From Date Of Shipment When Properly Stored
- ▶ **Specific Gravity (H₂O=1):** 0.8
- ▶ **Vapor Density:** Heavier Than Air

AVAILABLE PACK SIZES:

D-5030NS

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-002051

Formit®

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of
Formit®-18-F,
Formit®-18-180,
Formit®-18-360,
and **Formit®-18 STD-Fog-100107**



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS