

SUR-PREP® 3150



Product description:

MIL-PRF-680 TY I CLEANING COMPOUND

FEATURES:

- A hydrocarbon solvent blend
- Can be used as a replacement for PD-680 Ty I Solvents





KEY BENEFITS:

- Efficiently solvates a broad range of contaminants from the substrate surface
- Works on oil and oil-bonded contaminants
- Helps coatings and sealants adhere to aircraft substrates
- Prepares critical surface areas prior to painting or bonding

SPECS:

MIL-PRF-680 Ty I (Meets requirements)
 NSN: 6850-01-671-6433 (16 fl oz (473 mL) Aerosol)

Rev: 29076E 12-04-2025





SUR-PREP® 3150



Page 2 of 3

Product description:

MIL-PRF-680 TY I CLEANING **COMPOUND**

APPLICATIONS:

- ✓ Apply Sur-Prep® 3150 to the surface to be cleaned
- ✓ Wipe dry with a rag
- ✓ The Sur-Prep® 3150 aerosol can be used in conjunction with the Formit® extensions to provide targeted spray to areas that may be difficult to reach but need to be cleaned. Please refer to the Formit® technical data sheet for more information.
- ✓ Store Sur-Prep® 3150 at 40°F 100°F (4.4°C 37.8°C) in the original unopened containers. Keep containers closed when not in use and protect Sur-Prep® 3150 from sunlight.

PHYSICAL PROPERTIES:

Aromatics by Volume: Less than 1%

Boiling Point: 310-400°F (154- 204°C)

Color: 30 Minimum

Copper Strip Corrosion: (ASTM D130)

Density (lbs/gal): 6.4 lbs/gal (767 grams / Liter)

Flash Point: 105°F (40°C) Minimum

KB Value: 28-39

Shelf Life: 3 Years From The Date Of Shipment If Properly Stored







SUR-PREP® 3150



Page 3 of 3

Product description:

MIL-PRF-680 TY I CLEANING COMPOUND

AVAILABLE PACK SIZES:

Sur-Prep® 3150

- Case of 12 of 16 fl oz (473 mL) Aerosols-011007
- Case of 4 each Gallon (4 each of 3.8 Liter) Cans-010859
- 5 Gallon (18.9 Liter) Pails-010860
- 55 Gallon (208 Liter) Drums-010861
- Special Packaging Upon Request

Formit®

- 12 Assemblies Per Package —
- Formit® Sample Pack with 3 each of

Formit®-18-F,
Formit®-18-180, —

Formit[®]-18-360, -

and Formit®-18 STD-Fog-100107



