

### SUR-PREP® 3160



Page 1 of 4

### *Product description:* **PETROLEUM SOLVENT CLEANING COMPOUND**

#### **FEATURES:**

- ▶ A hydrocarbon solvent blend

#### **KEY BENEFITS:**

- ▶ Helps coatings and sealants adhere to aircraft substrates
- ▶ Works on oil and oil-bonded contaminants
- ▶ Efficiently solvates a broad range of contaminants from substrate surface
- ▶ Broad solvency range
- ▶ Fast drying
- ▶ Use as a replacement for PD-680
- ▶ Prepares critical surface areas prior to painting or bonding

#### **SPECS:**

- |   |  |
|---|--|
| <ul style="list-style-type: none"><li>• A-A-2904</li><li>• Airbus CML 08BBB1</li><li>• AMS 3160</li><li>• NSN: 6850-01-633-9843 (16 fl oz (473 mL) Aerosol)</li></ul> | <ul style="list-style-type: none"><li>• MIL-PRF-680 Ty II</li><li>• Bombardier CPM PSM 1-84-18-08-10 (TASK) (Airbus Canada CPM PSM 1-84-18-08-10 (TASK))</li></ul> |
|---|--|



Rev: 20075G  
12-19-2025

### SUR-PREP® 3160



Page 2 of 4

### *Product description:*

## PETROLEUM SOLVENT CLEANING COMPOUND

### APPLICATIONS:

- ✓ Apply **Sur-Prep® 3160** to the surface to be cleaned
- ✓ Wipe dry with a rag
- ✓ Aerosol application is available
- ✓ The **Sur-Prep® 3160** aerosol can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be cleaned. Please refer to the **Formit®** technical data sheet for more information.
- ✓ Store **Sur-Prep® 3160** at 40°F - 100°F (4.4°C - 37.8°C) in the original unopened containers. Keep containers closed when not in use and protect **Sur-Prep® 3160** from direct sunlight.

### PHYSICAL PROPERTIES:

- ▶ **Saybolt Color:** 30 Minimum
- ▶ **Flash Point:** 142°F (61°C) Minimum
- ▶ **Density (lbs/gal):** 6.5 lbs/gal (779 grams / Liter)
- ▶ **Boiling Range:** 360-400°F (182-204°C)
- ▶ **Copper Strip Corrosion (ASTM D130):** Pass
- ▶ **API Gravity:** 46-52
- ▶ **KB Value:** 29 Minimum



For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)



Part of



**ADDEV**  
MATERIALS

### SUR-PREP® 3160



Page 3 of 4

*Product description:*

### PETROLEUM SOLVENT CLEANING COMPOUND

---

#### PHYSICAL PROPERTIES (CONTINUED FROM PAGE 2):

- ▶ **Aromatics by Volume:** Less than 3%
- ▶ **Surface Tension (Dynes/cm):** 22
- ▶ **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored

---

#### AVAILABLE PACK SIZES:

##### Sur-Prep® 3160

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-010938
- ▶ Case of 4 each Gallon (4 each of 4.8 Liter) Cans-008578
- ▶ 5 Gallon (18.9 Liter) Pail-008579
- ▶ 55 Gallon (208 Liter) Drum-008580
- ▶ Case of 6 Canisters of Towelettes-100026
- ▶ Case of 100 Individual Towelettes-011844
- ▶ Special Packaging Upon Request



For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)



Part of



**ADDEV**  
MATERIALS



# Sur-Prep®

## SURFACE PREPARATION & AVIONICS CLEANERS

### SUR-PREP® 3160



Page 4 of 4

### *Product description:* **PETROLEUM SOLVENT CLEANING COMPOUND**

#### **AVAILABLE PACK SIZES (CONTINUED FROM PAGE 3):**

##### **Formit®**

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of  
**Formit®-18-F,**  
**Formit®-18-180,**  
**Formit®-18-360,**  
and **Formit®-18 STD-Fog-100107**



For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)



Part of



**ADDEV**  
MATERIALS