

SUR-PREP® 5672



Page 1 of 5

Product description: **CONTACT CLEANER**

FEATURES:

- ▶ A multi-functional azeotrope

KEY BENEFITS:

- ▶ A non-ozone depleting formulation (no CFC's or HCFC's)
- ▶ Environmentally friendly
- ▶ Non-flammable
- ▶ Low toxicity levels
- ▶ SNAP approved
- ▶ Low odor
- ▶ Fast evaporation
- ▶ Good cleaning capabilities
- ▶ Very low surface residue
- ▶ Very effective in solubilizing a wide range of soils and surface contaminants
- ▶ Highly efficient
- ▶ Ideal for use on electronic components and energized circuits
- ▶ Penetrates into complex geometries
- ▶ Low GWP
- ▶ Extremely low solubility of moisture
- ▶ Low surface tension
- ▶ High density
- ▶ Low viscosity



Rev: 29076F
12-09-2025



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

SUR-PREP® 5672



Page 2 of 5

Product description: **CONTACT CLEANER**

Note: Sur-Prep® 5672 has been discontinued as it contains 3M HFE material which 3M has decided to stop manufacturing. Customers should consider stockpiling Sur-Prep® 5672 while it is still available. Sur-Prep® 123 has already been qualified as a non-flammable replacement for oxygen system cleaning and general-purpose cleaning and can be purchased in bulk and aerosol formats. If it is not necessary to use a non-flammable cleaner for general-purpose cleaning and the cleaning of oxygen systems, then the alternative product to use is Sur-Prep® 5677. Sur-Prep® 5677 is available for purchase in bulk and aerosol formats.

APPLICATIONS:

- ✓ Spray directly into problem areas to loosen, lift, and flush away heavy deposits of oils and greases
- ✓ Sur-Prep® 5672 can be used for the displacement drying and cleaning of water sensitive components
- ✓ The Sur-Prep® 5672 aerosol can be used in conjunction with the Formit® extensions to provide targeted spray to areas that may be difficult to reach but need to be cleaned. Please refer to the Formit® technical data sheet for more information.
- ✓ For applications involving sensitive plastic or rubber components, Sur-Prep® 608, D-5665NS, or ZC-665
- ✓ Store Sur-Prep® 5672 at 40° - 100°F (4.4° - 37.8°C) in the original unopened containers. Keep containers closed if not in use and protect Sur-Prep® 5672 from sunlight.

SUR-PREP® 5672



Page 3 of 5

Product description:

CONTACT CLEANER

PHYSICAL PROPERTIES:

- ▶ **Appearance:** Clear / Colorless
- ▶ **Atmospheric Lifetime:** 4.1 years
- ▶ **Boiling Point (°C):** 43°C (109°F)
- ▶ **Flash Point (°C):** None
- ▶ **Global Warning Potential:** 41
- ▶ **Liquid Density (g/ml):** 1.28
- ▶ **Ozone Depletion:** 0.00
- ▶ **Low Heat of Vaporization (cal/grams):** 52
- ▶ **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored
- ▶ **Surface Tension (Dynes/cm):** 10
- ▶ **Vapor Pressure @ 23°C (73°F):** 350
- ▶ **Viscosity (cps):** 0.45



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

SUR-PREP® 5672



Page 4 of 5

Product description: **CONTACT CLEANER**

AVAILABLE PACK SIZES:

Sur-Prep® 5672

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-008284
- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-008781
- ▶ 5 Gallon (18.9 Liter) Pails-008782
- ▶ 55 Gallon (208 Liter) Drums-008783
- ▶ Special packaging upon request

Sur-Prep® 123

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-102815
- ▶ 10 Pound (4536 gram) Cylinder-102933
- ▶ 50 Pound (22680 gram) Cylinder-102934
- ▶ Special Packaging Upon Request

D-5665NS

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-002074

ZC-665

- ▶ 5 Gallon (18.9 Liter) Pail-002158
- ▶ 55 Gallon (208 Liter) Drum-007571
- ▶ Special Packaging Upon Request

SUR-PREP® 5672



Page 5 of 5

Product description: **CONTACT CLEANER**

AVAILABLE PACK SIZES (CONTINUED FROM PAGE 4):

Sur-Prep® 608

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-008593
- ▶ Special Packaging Upon Request

Sur-Prep® 5677

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-100474
- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-100478
- ▶ 5 Gallon (18.9 Liter) Pail-100481
- ▶ 55 Gallon (208 Liter) Drum-100482
- ▶ Special Packaging Upon Request

Formit®

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of
Formit®-18-F,
Formit®-18-180,
Formit®-18-360,
and **Formit®-18 STD-Fog-100107**

