

### SUR-PREP® AR-58



#### *Product description:* **ADHESIVE REMOVER**

#### **FEATURES:**

- ▶ A solvent blend

#### **KEY BENEFITS:**

- ▶ Penetrates various adhesives
- ▶ Softens adhesive quickly
- ▶ Works various substrates
- ▶ Dries completely
- ▶ Broad solvency range
- ▶ Removes various adhesives from various substrates including metal and paper
- ▶ Evaporates completely and does not leave a residue that would interfere with future bonding
- ▶ Does not remain embedded in paper and porous surfaces if used there



#### **APPLICATIONS:**

- ✓ **Aerosol:** Apply **Sur-Prep® AR-58** to the adhesive
- ✓ Use **Sur-Prep® AR-58** to continually dampen the adhesive until the adhesive becomes tacky
- ✓ Either soak a rag with **Sur-Prep® AR-58** and begin wiping the adhesive from the substrate or use a straight edge and begin scraping the adhesive from the substrate.
- ✓ Continue either of those processes until the adhesive is completely removed

Rev: 29084F  
12-04-2025

### SUR-PREP® AR-58



## Product description: ADHESIVE REMOVER

### APPLICATIONS (CONTINUED FROM PAGE 1):

- ✓ **Towelette:** Unfold **Sur-Prep® AR-58** towelette and wipe over adhesive. Continue to wipe the area until the adhesive is completely removed.
- ✓ **Sur-Prep® AR-58** can also be used for contact cleaning as well as general cleaning and degreasing
- ✓ The **Sur-Prep® AR-58** aerosol can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated. Please refer to the **Formit®** technical data sheet for more information.
- ✓ Test on small areas to ensure that it is compatible with plastics
- ✓ Use on various substrates, such as metal, porous, and paper
- ✓ Store **Sur-Prep® AR-58** at 40°F - 100°F (4.4°C - 37.8°C) in the original unopened containers in a cool, well ventilated area. Close containers when not in use and protect **Sur-Prep® AR-58** from sunlight.

### PHYSICAL PROPERTIES:

- ▶ **Appearance:** Clear and Colorless
- ▶ **Density:** 7.1 lbs/gal (851 grams / Liter)
- ▶ **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored

### AVAILABLE PACK SIZES:

#### Sur-Prep® AR-58

- ▶ Case of 12 of 16  
fl oz (473 mL)  
Aerosols-100283



For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)



Part of



**ADDEV**  
MATERIALS

### SUR-PREP® AR-58



### Product description: ADHESIVE REMOVER

#### AVAILABLE PACK SIZES CONTINUED FROM PAGE 2:

##### Sur-Prep® AR-58 (Continued From Page 2)

- ▶ 9 gram Towelette-101880
- ▶ Case of 12 each Quart (946 mL)-103266
- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-103262
- ▶ 5 Gallon (18.9 Liter) Pail-103259
- ▶ Special Packaging Upon Request



##### Formit®

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of  
**Formit®-18-F,**  
**Formit®-18-180,**  
**Formit®-18-360,**  
and **Formit®-18 STD-Fog-100107**

