



## AIRCRAFT CLEANERS & DISINFECTANTS

### ZIP-STRIP™ 125M



Page 1 of 4

### Product description: WATER RINSEABLE CIC REMOVER

#### FEATURES:

- ▶ A fast acting neutral pH CIC remover

#### KEY BENEFITS:

- ▶ Contains biodegradable components
- ▶ Removes wet, waxy, and/or dry film corrosion inhibiting compounds (CIC's)
- ▶ Contains water rinseable material
- ▶ Effective on aviation soils, such as MoS<sub>2</sub> grease, hydraulic fluid, wax, and carbon deposits
- ▶ Very effective after a short dwell time

#### SPECS:

- Airbus AIMS 09-00-002
- Boeing BSS 7432
- Boeing D6-17487
- NSN: 6850-01-707-8887 (16 fl oz (473 mL) Aerosol)
- NSN: 6850-01-695-8514 (5 Gallon (18.9 Liter) Pail)
- T.O. 1C-130A-23
- T.O. 1C-130J-23

#### APPLICATIONS:

- ✓ Zip-Strip™ 125M can be applied by aerosol, airless, air-assist, dipping, or brushing
- ✓ Zip-Strip™ 125M can be used on all access panel fasteners
- ✓ Zip-Strip™ 125M should be applied at a thickness of **2 to 7 mils (51-178 microns)**, depending on the thickness and age of the material to be removed. This thickness can be measured with Zip-Chem®'s Wet Film Thickness Gauge.



Rev: 29318F  
05-08-2026



## ZIP-STRIP™ 125M



### *Product description:* **WATER RINSEABLE CIC REMOVER**

#### **APPLICATIONS (CONTINUED FROM PAGE 1):**

- ✓ Allow material to dwell for **5-10 minutes (10-20 minutes for heavy duty removal)** and then pressure spray or rinse off.
- ✓ Do not allow material to dry on the surface. If drying commences, apply a light film of additional **Zip-Strip™ 125M** and rinse off.
- ✓ The **Zip-Strip™ 125M aerosol** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be cleaned. Please refer to the **Formit®** technical data sheet for more information. The **Zip-Strip™ 125M aerosol** can also be used with the **Zip-Chem® Aerosol Trigger Sprayer** which is designed for use with any **Zip-Chem®** aerosol can.
- ✓ Handle effluent accordingly because the contaminants that **Zip-Strip™ 125M** removes may not be biodegradable
- ✓ Refer to the **Zip-Strip™ 125M** application manual for detailed application instructions. This manual can be obtained by asking your **Zip-Chem®** sales rep for a copy of this document.
- ✓ **Zip-Strip™ 125M** should be stored at **40°F to 100°F (4.4°C - 37.8°C)** in the original unopened containers. Keep containers closed when not in use and protect **Zip-Strip™ 125M** from direct sunlight.

#### **PHYSICAL PROPERTIES:**

- ▶ **Appearance:** Clear liquid
- ▶ **Bulk Density:** 7.0 lbs per gallon (839 grams per liter)
- ▶ **Composite Vapor Pressure:** 0.5 mm of Hg @ 25°C (77°F)
- ▶ **Flash Point:** 127°F (53°C) PMCC



## AIRCRAFT CLEANERS & DISINFECTANTS

### ZIP-STRIP™ 125M



Page 3 of 4

*Product description:*  
**WATER RINSEABLE CIC REMOVER**

**PHYSICAL PROPERTIES (CONTINUED FROM PAGE 2):**

- ▶ **Odor:** Solvent Odor
- ▶ **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored
- ▶ **Specific Gravity:** 0.84
- ▶ **Viscosity:** 200 cps.
- ▶ **Volatiles:** 87% by weight

**AVAILABLE PACK SIZES:**

**Zip-Strip™ 125M**

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-102614
- ▶ Case of 4 each Gallon (4 each of 4.8 Liter) Cans-102608
- ▶ 5 Gallon (18.9 Liter) Pails-102609
- ▶ 55 Gallon (208 Liter) Drums-102610
- ▶ Special Packaging Upon Request



## AIRCRAFT CLEANERS & DISINFECTANTS

### ZIP-STRIP™ 125M




Page 4 of 4

### Product description: WATER RINSEABLE CIC REMOVER

#### AVAILABLE PACK SIZES (CONTINUED FROM PAGE 3):

##### Formit®

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of  
**Formit®-18-F,**  
**Formit®-18-180,**  
**Formit®-18-360,**  
and **Formit®-18 STD-Fog-100107**



##### Wet Film Thickness Gauge

- ▶ 100266

##### Zip-Chem® Aerosol Trigger Sprayer

- ▶ 010040