



LUBRICANTS & LUBRICATING COMPOUNDS

D-5922NS



Page 1 of 3

Product description:

MICROGEL/SYNTHETIC MULTI-PURPOSE GREASE

FEATURES:

- ▶ The aerosolized form of Aeroshell® 22 Grease, a versatile and multi-purpose microgel that is a thickened, synthetic and hydrocarbon oil

KEY BENEFITS:

- ▶ Superior anti-wear properties, load carrying capacity, and water resistance
- ▶ A useful temperature range of **-85°F to 400°F (-65°C to 204°C)**
- ▶ Heavily fortified against oxidation
- ▶ A corrosion inhibited product
- ▶ The **D-5922NS** aerosol offers ease of application for hard to reach areas

APPLICATIONS:

- ✓ **D-5922NS** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated. Please refer to the **Formit®** technical data sheet for more information. **D-5922NS** can also be used with the **Zip-Chem® Aerosol Trigger Sprayer** that is designed for use with any **Zip-Chem®** aerosol can.
- ✓ **Aircraft:** Useful for engine accessories, airframe lubrication, and general anti-friction bearings which operate at high speeds in high and low temperatures



Rev: 29098N
08-20-2026



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

D-5922NS

Page 2 of 3

*Product description:***MICROGEL/SYNTHETIC MULTI-PURPOSE GREASE****APPLICATIONS:**

- ✓ Use **D-5922NS** for long retention and high water resistance environments
- ✓ Please refer to the **D-5922NS application manual** for detailed application instructions. This **manual** can be obtained by reaching out to your **Zip-Chem®** rep for a copy of this document.
- ✓ Store **D-5922NS** at **40°F - 100°F (4.4°C - 37.8°C)** in the **original unopened containers**. Keep **containers** closed when not in use, and protect **D-5922NS** from **direct sunlight**.

PHYSICAL PROPERTIES:

- **Color:** Amber
- **Grease Drop Point:** 500+
- **Operating Temperatures:** -85°F to 400°F (-65°C to 204°C)
- **Penetration of Grease (Worked):** 295
- **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored
- **Specific Gravity:** 0.8
- **Vapor Density:** Heavier Than Air
- **Water Resistance % W:** 1.3



For more information contact us :
zipchem@addevmaterials.com



Part of

**ADDEV**
MATERIALS

D-5922NS



Page 3 of 3

Product description: **MICROGEL/SYNTHETIC MULTI-PURPOSE GREASE**

AVAILABLE PACK SIZES:

D-5922NS

- Case of 12 of 16 fl oz (473 mL) Aerosols-002082

Formit®

- 12 Assemblies Per Package
- **Formit® Sample Pack** with 3 each of
Formit®-18-F,
Formit®-18-180,
Formit®-18-360,
and **Formit®-18 STD-Fog-100107**



Zip-Chem® Aerosol Trigger Sprayer

- 010040



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS