

### Sur-Prep® 2046



Page 1 of 3

### *Product description:* **METAL DEGREASER**

#### FEATURES:

- ▶ A general purpose solvent cleaner which does not contain methylene chloride or ozone depleting solvents

#### KEY BENEFITS:

- ▶ Does not leave a residue
- ▶ Completely non-flammable
- ▶ Effectively dissolves silicone, grease, oils, waxes, inks, and tars
- ▶ Non ozone depleting
- ▶ Effective on gears, bearing locations, and any other application where a greasy surface needs to be cleaned
- ▶ Cold cleans metal parts, tooling, valves, gauges, motors, and engines
- ▶ Contains several advantages over flammable solvents, such as acetone, toluene, etc
- ▶ Evaporates quickly and cleans without wiping
- ▶ Non-conductive and non-abrasive



#### APPLICATIONS:

- ✓ Do not apply Sur-Prep® 2046 directly to plastic parts
- ✓ Please refer to the SDS for additional information on Sur-Prep® 2046

Rev: 29113H  
08-19-2026

### Sur-Prep® 2046



Page 2 of 3

### *Product description:* **METAL DEGREASER**

#### APPLICATIONS (CONTINUED FROM PAGE 1):

- ✓ The **Sur-Prep® 2046 aerosol** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated. Please refer to the technical data sheet for more information. The **Sur-Prep® 2046 aerosol** can also be used with the **Zip-Chem® Aerosol Trigger Sprayer** that is designed for use with any **Zip-Chem®** aerosol can.
- ✓ Please refer to the **Sur-Prep® 2046 application manual** for detailed application instructions. This **manual** can be obtained by reaching out to your **Zip-Chem®** rep for a copy of this document.
- ✓ Store **Sur-Prep® 2046** at 40° - 100°F (4.4° - 37.8°C) in the **original unopened containers**. Keep **containers** closed when not in use and protect **Sur-Prep® 2046** from **direct sunlight**.

#### PHYSICAL PROPERTIES:

- ▶ **Appearance and Odor:** Clear liquid with irritating odor at high concentration
- ▶ **Boiling Range:** 109°F to 165°F (43°C to 74°C)
- ▶ **Dielectric Strength at 71°F (22°C):** 28 (ASTM D-877-49-7b KV)
- ▶ **Evaporation Rate:** Faster Than Ether
- ▶ **Flash Point:** None
- ▶ **Material VOC:** 0.21 Lb/Gal (25.16 Grams/Liter)
- ▶ **Non Volatile Matter, Max:** 0.001%
- ▶ **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored
- ▶ **Solubility in Water:** Negligible
- ▶ **Specific Gravity (H<sub>2</sub>O=1):** 1.4

### Sur-Prep® 2046



Page 3 of 3

### *Product description:* **METAL DEGREASER**

#### AVAILABLE PACK SIZES:

##### Sur-Prep® 2046

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-005256
- ▶ 5 Gallon (18.9 Liter) Pail-101046
- ▶ 55 Gallon (208 Liter) Drum-101047
- ▶ Special Packaging Available Upon Request

##### Formit®

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of  
**Formit®-18-F,**  
**Formit®-18-180,**  
**Formit®-18-360,**  
and **Formit®-18 STD-Fog-100107**



##### Zip-Chem® Aerosol Trigger Sprayer

- ▶ 010040



For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)



Part of



**ADDEV**  
MATERIALS