

SUR-PREP® 5677



Page 1 of 4

Product description:
**FAST EVAPORATING DEGREASER
AND CONTACT CLEANER**

FEATURES:

- ▶ A fast evaporating solvent blend

KEY BENEFITS:

- ▶ Works on both oil and oil-bonded contaminants
- ▶ Efficiently solvates a broad range of contaminants from the substrate surface
- ▶ Helps coatings and sealants adhere to aircraft substrates
- ▶ Penetrates to remove soils and greases
- ▶ Safe on plastics
- ▶ Does not leave a residue
- ▶ No chlorinated solvents
- ▶ Fast and complete drying
- ▶ Broad solvency range
- ▶ Spray-any-way spray valve



SPECS:

- | | |
|--|--|
| <ul style="list-style-type: none">• Airbus AIMS 09-00-002• Boeing D6-17487• Boeing CSD No. 1 | <ul style="list-style-type: none">• AMS 3167• NSN: 6850-01-684-6911 (16 fl oz (473 mL) Aerosol) |
|--|--|

Rev: 20082B
08-18-2026

SUR-PREP® 5677



Page 2 of 4

Product description:

FAST EVAPORATING DEGREASER AND CONTACT CLEANER

APPLICATIONS:

- ✓ Prepares critical surface areas prior to **painting** or **bonding** as well as electrical contacts
- ✓ Apply **Sur-Prep® 5677** to the surface to be cleaned
- ✓ Use for contact cleaning on non-activated circuits as well as general degreasing
- ✓ The **Sur-Prep® 5677 aerosol** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be cleaned. Please refer to the **Formit®** technical data sheet for more information. The **Sur-Prep® 5677 aerosol** can also be used with the **Zip-Chem® Aerosol Trigger Sprayer** that is designed for use with any **Zip-Chem®** aerosol can.
- ✓ Refer to the **Sur-Prep® 5677 application manual** for detailed application instructions. This **manual** can be obtained by reaching out to your **Zip-Chem®** rep for a copy of this document.
- ✓ Store **Sur-Prep® 5677** at **40°F - 100°F (4.4°C - 37.8°C)** in the **original unopened containers**. Keep **containers** closed when not in use and protect **Sur-Prep® 5677** from **direct sunlight**.



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

SUR-PREP® 5677



Page 3 of 4

Product description:

FAST EVAPORATING DEGREASER AND CONTACT CLEANER

PHYSICAL PROPERTIES:

- ▶ **Acrylic Compatibility:** No crazing
- ▶ **Compatibility with Painted Surfaces:** Pass
- ▶ **Density (lbs/gal):** 5.9 lbs/gal (707 grams / Liter)
- ▶ **Flash Point:** 0°F (-18°C)
- ▶ **Hydrogen Embrittlement:** No failures
- ▶ **Polycarbonate Compatibility:** No crazing
- ▶ **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored

AVAILABLE PACK SIZES:

Sur-Prep® 5677

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-100474
- ▶ Case of 4 each Gallon (4 each of 4.8 Liter) Cans-100478
- ▶ 5 Gallon (18.9 Liter) Pail-100481
- ▶ 55 Gallon (208 Liter) Drum-100482
- ▶ Special Packaging Upon Request



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

SUR-PREP® 5677



Page 4 of 4

Product description:

FAST EVAPORATING DEGREASER AND CONTACT CLEANER

AVAILABLE PACK SIZES (CONTINUED FROM PAGE 3):

Sur-Prep® 5677

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-100474
- ▶ Case of 4 each Gallon (4 each of 4.8 Liter) Cans-100478
- ▶ 5 Gallon (18.9 Liter) Pail-100481
- ▶ 55 Gallon (208 Liter) Drum-100482
- ▶ Special Packaging Upon Request

Formit®

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of
Formit®-18-F,
Formit®-18-180,
Formit®-18-360,
and **Formit®-18 STD-Fog-100107**



Zip-Chem® Aerosol Trigger Sprayer

- ▶ 010040