

D-5026NS



Page 1 of 6

Product description:

AVIONIC CORROSION PREVENTIVE COMPOUND (MIL-PRF-81309H Type II&III, Class 2) Grade CO₂



FEATURES:

- ▶ A medium to heavy duty water displacing, thin film, corrosion preventive compound

KEY BENEFITS:

- ▶ Contains no ozone depleting chemicals
- ▶ Prevents corrosion and displaces water
- ▶ Provides superior protection to avionic connectors and components and has lubricating properties to prevent fretting corrosion
- ▶ Protects electrical connectors from corroding
- ▶ Protects cables, surfaces, and interior and exterior aircraft surfaces
- ▶ Contains a film that prevents oxidation of the substrate
- ▶ **D-5026NS** contains a thixotropic property to prevent it from disrupting contact between connectors
- ▶ Corrosion protection provides protection in the harshest environments
- ▶ Coating can withstand temperatures up to **105°C (221°F)** for only **500 hours cumulative**
- ▶ Free of chromates
- ▶ Low toxicity
- ▶ Free from heavy metals

Rev: 20071U
09-16-2026

D-5026NS



Page 2 of 6

Product description:

AVIONIC CORROSION PREVENTIVE COMPOUND (MIL-PRF-81309H Type II&III, Class 2) Grade CO₂

KEY BENEFITS CONTINUED FROM PAGE 1:

- ▶ Useful for initial protection during shipment and storage and for in-service treatment of critical areas
- ▶ The cured film can withstand temperatures as low as **-55°C (-67°F)** and as high as **85°C (185°F)** continuously

SPECS:

- Airbus CML 12ABD1
- Boeing Alert Service Bulletin 737-24A1148 (CIC for connectors), AD 2002-16-03
- Boeing DPM-5707-1 (QPL)
- Cessna CSNP038
- COMAC CMS-CT-506 (QPL)
- Embraer E6125209 (QPL)
- Sikorsky SS 8536 Type 1 (QPL)
- MIL-PRF-81309H Type II & III, Class 2, Grade CO₂ (QPL)

APPLICATIONS:

- ✓ Use on highly critical metal surfaces and avionic components
- ✓ **D-5026NS** can be used in conjunction with the **Formit®** extensions to provide targeted spray to areas that may be difficult to reach but need to be coated. Please refer to the **Formit®** technical data sheet for more information.
- ✓ **D-5026NS** can be used along with the **Zip-Chem® Aerosol Trigger Sprayer** which is designed for use with any **Zip-Chem®** aerosol can
- ✓ Bulk application available as **ZC-026**
- ✓ One aerosol covers approximately **140 ft² (13m²)**
- ✓ For removal of **D-5026NS**, use **D-5640NS (ZC-640)**, **Sur-Prep® 3160**, or **Sur-Prep® 3167**



For more information contact us :
zipchem@addevmaterials.com



Part of



**ADDEV
MATERIALS**

D-5026NS



Page 3 of 6

Product description:

AVIONIC CORROSION PREVENTIVE COMPOUND (MIL-PRF-81309H Type II&III, Class 2) Grade CO₂

APPLICATIONS (CONTINUED FROM PAGE 2):

- ✓ Refer to the **D-5026NS** application manual for detailed application instructions. This manual can be obtained by asking your **Zip-Chem®** sales rep for a copy of this document.
- ✓ Store **D-5026NS** at **40°F-100°F (4°C-38°C)** in the original unopened containers. Keep containers closed when not in use and protect **D-5026NS** from direct sunlight.

PHYSICAL PROPERTIES:

- ▶ **Evaporation Rate:** Faster than ether
- ▶ **Flame Extension:** Flammable
- ▶ **Fungal Growth per Fed-STD-810 Method 508.7:** 0 (No Microbial Growth)
- ▶ **Outgassing per ASTM E-595**
 - **Total Mass Loss (TML):** 49%
 - **Collected Volatile Condensable Material (CVCM):** 27.3%
- ▶ **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored
- ▶ **Specific Gravity (H₂O=1):** 0.86
- ▶ **Vapor Density:** Heavier than air



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

D-5026NS



Page 4 of 6

Product description:

**AVIONIC CORROSION PREVENTIVE
COMPOUND (MIL-PRF-81309H Type
II&III, Class 2) Grade CO₂**

AVAILABLE PACK SIZES:

D-5026NS

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols-007669

ZC-026

- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans-009415
- ▶ 5 Gallon (18.9 Liter) Pail-002095
- ▶ 55 Gallon (208 Liter) Drum-002076
- ▶ Special Packaging Upon Request

D-5640NS

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols (002070)

ZC-640

- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans (009430)
- ▶ 5 Gallons (18.9 Liter) (002155)
- ▶ 55 Gallons (208 Liter) (008181)
- ▶ Special packaging upon request



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

D-5026NS



Page 5 of 6


Product description:

**AVIONIC CORROSION PREVENTIVE
COMPOUND (MIL-PRF-81309H Type
II&III, Class 2) Grade CO₂**

AVAILABLE PACK SIZES (CONTINUED FROM PAGE 4):

Formit®

- ▶ 12 Assemblies Per Package
- ▶ **Formit® Sample Pack** with 3 each of
Formit®-18-F,
Formit®-18-180,
Formit®-18-360,
and **Formit®-18 STD-Fog-100107**



Sur-Prep® 3167

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols (103765)
- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans (103762)
- ▶ 5 Gallon (18.9 Liter) Pail (103763)
- ▶ 55 Gallon (208 Liter) Drum (103764)
- ▶ Special packaging upon request



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS

D-5026NS



Page 6 of 6

Product description:

**AVIONIC CORROSION PREVENTIVE
COMPOUND (MIL-PRF-81309H Type
II&III, Class 2) Grade CO₂**

AVAILABLE PACK SIZES (CONTINUED FROM PAGE 5):

Sur-Prep® 3160

- ▶ Case of 12 of 16 fl oz (473 mL) Aerosols (010938)
- ▶ Case of 4 each Gallon (4 each of 3.8 Liter) Cans (008578)
- ▶ 5 Gallon (18.9 Liter) Pail (008579)
- ▶ 55 Gallon (208 Liter) Drum (008580)
- ▶ Case of 6 Canisters of Towelettes (100026)
- ▶ Case of 100 Individual Towelettes (011844)
- ▶ Special packaging upon request

Zip-Chem® Aerosol Trigger Sprayer

- ▶ 010040



For more information contact us :
zipchem@addevmaterials.com



Part of



ADDEV
MATERIALS