

Cor-Ban®

CORROSION INHIBITING COMPOUNDS

ZC-029



Product description:

CORROSION INHIBITING COMPOUND

FEATURES:

- A long lasting, high solids, low volatiles, high penetration, and water displacing corrosion inhibiting compound
- Non-tacky with a light amber tint

KEY BENEFITS:

- **> 1500 hours** salt spray on aluminum (Al)
- Fast drying and non-tacky
- Non-cracking and flaking up to **-40°F (-40°C)**
- Free of chromates
- Free from heavy metals
- Low toxicity
- Has a detectable film
- Solvent removable
- Very low dry weight film
- High Solids **> 51%**

SPECS:

- Boeing BMS 3-29
- Boeing DMS 2150 Type 1 & Type 2

Rev: 29092K
11-04-2026

For more information contact us :
zipchem@addevmaterials.com

ZIP CHEM Part of & ADDEV MATERIALS



ZC-029

Product description:

CORROSION INHIBITING COMPOUND

APPLICATIONS:

- ✓ Apply via airless or air-operated spray equipment
- ✓ Apply at **2-3 mils (51 to 76 microns)** of wet thickness. This wet thickness can be measured with **Zip-Chem®** 's **Wet Film Thickness Gauge**.
- ✓ Aerosol application available as **D-5029NS**
- ✓ Use on high profile aircraft substrates
- ✓ Please refer to the **ZC-029** application manual for detailed application instructions. This manual can be obtained by reaching out to your **Zip-Chem®** for a copy of this document.
- ✓ Store **ZC-029 at 40°F to 100°F (4.4°C - 37.8°C)** in the original unopened containers. Keep containers closed when not in use and protect **ZC-029** from direct sunlight.

PHYSICAL PROPERTIES:

- **Color:** Transparent Amber
- **Drying Time:** <12 hours
- **Flash Point:** 122°F (50°C)
- **Non-Volatiles:** 51% min.
- **Shelf Life:** 3 Years From Date Of Shipment If Properly Stored
- **Specific Gravity:** 0.89
- **Viscosity:** 140 cps.
- **Water Displacement:** 0% Rust

For more information contact us :
zipchem@addevmaterials.com



ZC-029

Product description:

CORROSION INHIBITING COMPOUND

AVAILABLE PACK SIZES:

D-5029NS

- Case of 12 of 16 fl oz (473 mL) Aerosols-002050

ZC-029

- Case of 4 each Gallon (4 each of 3.8 Liter) Cans-009422
- 5 Gallon (18.9 Liter) Pail-002109
- 55 Gallon (208 Liter) Drum-002110
- Special Packaging Upon Request

Wet Film Thickness Gauge

- 100266

For more information contact us :
zipchem@addevmaterials.com

ZIP CHEM Part of ADDEV MATERIALS